

Notice of Allowability

Application No.	Applicant(s)	
10/621,673	RODELS ET AL.	
Examiner	Art Unit	
Emmanuel M Marcelo	3654	IW

the cover sheet with the correspondence address EMAINS) CLOSED in this application. If not included er appropriate communication will be mailed in due course. THIS This application is subject to withdrawal from issue at the initiative IPEP 1308.			
<u>1</u> .			
r.			
received. received in Application No ts have been received in this national stage application from the			
* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
lote the attached EXAMINER'S AMENDMENT or NOTICE OF on(s) why the oath or declaration is deficient.			
CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
 5. Notice of Informal Patent Application (PTO-152) 6. Interview Summary (PTO-413), Paper No./Mail Date 7. Examiner's Amendment/Comment 8. Examiner's Statement of Reasons for Allowance 9. Other 			

Page 2

The following is an examiner's statement of reasons for allowance:

Claims 1-12 and 18-20 are allowable over the prior art of record because the prior art of record does not teach or fairly suggest the entire combination of elements set forth including a spool receiving cavity defined solely by a peripheral sidewall, there being no end walls, and an annular spool within the spool receiving cavity with there being no axle, claim 18, lines 1-3 and 6-8. With respect to claim 12, the prior art of record does not teach the entire combination of elements set forth including a spool receiving cavity defined solely by a peripheral sidewall, the body including an annular spool supporting surface (lines 1-5) and an axle-less annular spool (line 10).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Emmanuel M Marcelo whose telephone number is 703-305-6597. The examiner can normally be reached on Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Katherine Matecki can be reached on 703-308-2688. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3654

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> **Primary Examiner** Art Unit 3654

September 24, 2004